



Revolver
HIGH QUALITY AUDIO

Music Series 1

Light Cherry Finish

- Full magnetic shielding
- Hybrid Cabinet of Chipboard and MDF to reduce cabinet resonance
- Revolver 26mm anodised aluminium dome tweeter with powerful ring magnet
- Revolver 130mm woven glass fibre diaphragm Mid/Bass driver
- Bass reflex rear ported
- Hard wired crossover utilising audiophile inductors, metal film resistors and ICW polypropylene capacitors
- Bi-wirable or Bi-Amp inputs with gold terminals
- Easy 6 ohm load with 90 dB/Watt sensitivity
- Power handling 15W - 100W
- Frequency response 48Hz - 38KHz
- Dimensions (mm) H335 x W183 x D230
- Finish - Light or Dark Cherry, Maple wood veneers
- Weight 6 Kgs

www.revolveraudio.co.uk

The Acoustic Partnership LLP, PO Box 341, Saltash, Cornwall PL12 6UZ



Revolver
HIGH QUALITY AUDIO

Music Series 3

Maple Finish

- Full magnetic shielding
- Hybrid Cabinet of Chipboard and MDF to reduce cabinet resonance
- Revolver 26mm anodised aluminium dome tweeter with powerful ring magnet
- Revolver 165mm woven glass fibre diaphragm Mid/Bass driver
- Bass reflex rear ported
- Hard wired crossover utilising audiophile inductors, metal film resistors and ICW polypropylene capacitors
- Bi-wirable or Bi-Amp inputs with gold terminals
- Easy 8 ohm load with 89 dB/Watt sensitivity
- Power handling 25W - 100W
- Frequency response 48Hz - 38KHz
- Dimensions (mm) H389 x W210 x D278
- Finish - Light or Dark Cherry, Maple wood veneers
- Weight 8.5 kgs

www.revolveraudio.co.uk

The Acoustic Partnership LLP, PO Box 341, Saltash, Cornwall PL12 6UZ

Music Series 5

REVOLVER
HIGH QUALITY AUDIO



Dark Cherry finish

- Full magnetic shielding
- Hybrid Cabinet of Chipboard and MDF to reduce cabinet resonance
- Revolver 26mm anodised aluminium dome tweeter with powerful ring magnet
- 3 x Revolver 165mm woven glass fibre diaphragm Mid/Bass driver
- Midrange Closed Box (IB) enclosure
- Bass reflex rear ported
- Hard wired crossover utilising audiophile inductors with ICW polypropylene capacitors
- Bi-wirable or Bi-Amp inputs with gold terminals
- Easy 8 ohm load with 89 dB/Watt sensitivity
- Power handling 25W - 200W
- Frequency response 48Hz - 38KHz
- Dimensions (mm) H930 x W210 x D318
- Finish - Light or Dark Cherry, Maple wood veneers
- Weight 17 kgs

www.revolveraudio.co.uk

The Acoustic Partnership LLP, PO Box 341, Saltash, Cornwall PL12 6UZ